



# Efficient photocatalytic degradation of ciprofloxacin and bisphenol A under visible light using $Gd_2WO_6$ loaded ZnO/bentonite nanocomposite

Karuppaiah Selvakumar<sup>a</sup>, Annamalai Raja<sup>b</sup>, Muthuraj Arunpandian<sup>a</sup>, Kesavan Stalindurai<sup>a</sup>,  
Palani Rajasekaran<sup>c</sup>, Ponnusamy Sami<sup>d</sup>, E.R. Nagarajan<sup>a</sup>,  
Meenakshisundaram Swaminathan<sup>a</sup>  

- <sup>a</sup> Nanomaterials Laboratory, Department of Chemistry, International Research Centre, Kalasalingam Academy of Research and Education (Deemed to be University), Krishnankoil 626126, Tamilnadu, India
- <sup>b</sup> Multifunctional Materials Research Laboratory, Department of Physics, International Research Centre, Kalasalingam Academy of Research and Education (Deemed to be University), Krishnankoil 626126, Tamilnadu, India
- <sup>c</sup> Graduate School of Science and Technology, Shizuoka University, 3-5-1 Johuko, Naka-Ku, Hamamatsu, 432-8011, Japan
- <sup>d</sup> Department of Chemistry, V.H.N. Senthikumara Nadar College (Autonomous), Virudhunagar 626 001, Tamilnadu, India